


# Piana Ricerca e Consulenza srl unipersonale



Via Umbria, 41 - Fraz. Osteria Grande  
40024 Castel San Pietro Terme BO Italia - tel. +39 051 6951574  
pianaricerca@pianaricerca.it - pianaricerca.it

P.IVA C.F. 02947351207 - REA BO-479630  
Capitale sociale € 40.000 i.v.

## Rapporto di Prova N. 20240614 del 25/07/2024

Pagina 1 / 1

**Richiedente**  
AGRITUR SOCIETA' AGRICOLA COOPERATIVA  
VIA SERRA 56  
40042 LIZZANO IN BELVEDERE (BO) Italia

Nostro riferimento	20240614	Altre informazioni	Prov. Bologna/Modena
Riferimento	20066	Ricevuto il	20/06/2024
Prodotto	Miele/Honey	Data inizio/fine analisi	15/07/2024 / 23/07/2024
Or. Geo dichiarata	Italia/Italy - Emilia Romagna	Origine Bot. dichiarata	Robinia/Acacia

Analisi esterne: allegato rapporto di prova di Lifeanalytics S.r.l.

*Il presente rapporto riguarda esclusivamente il campione sottoposto a prova ed esso non può essere riprodotto parzialmente, se non previa approvazione scritta da parte di questo Laboratorio.*

**IL DIRETTORE DEL LABORATORIO**  
Maria Lucia Piana





LAB N° 0128 L

## TEST REPORT N° 24LA0037449

Report issue date: 24/07/2024

## SAMPLE INFORMATION

Sample code: 24LA0037449

Customer: PIANA RICERCA E CONSULENZA SRL, VIA UMBRIA 41 FRAZ. OSTERIA GRANDE 40024 CASTEL SAN PIETRO TERME (BO)

Sample identification: Miele e derivati

Sample description (\$): 20240614

Receiving date: 16/07/2024

Analysis starting date: 15/07/2024

Analysis end date: 23/07/2024

## SAMPLING INFORMATION

Sampling date (\$): 11/07/2024

Collection place (\$): -

Sampling by: Cliente

Transported by: Corriere

## ANALYTICAL RESULTS

Test	M.U.	Result	LOQ
Hydroxymethylfurfural (HMF)	mg/kg	< 0.5	0.5

Page 1 of 2

Laboratorio iscritto nell'elenco regionale di cui alla L.R. 06/2008 ad  
all'Accordo Rep. n.730/2003/IR con il n° 531

Lifeanalytics S.r.l.

Sez. operativa: Via Piazza Aca, 22 - 31148 Udine (UD) Tel. +39 0422 1721091 - GRUPPO IVA: 14996171000 - C.F. 03670110266  
servizi@lifeanalytics.it - www.lifeanalytics.it

**TEST REPORT N° 24LA0037449****Notes**

Results reported in this test report are referred exclusively to the sample analysed by the laboratory.  
This test report can not be reproduced partially, unless specified by the laboratory by written authorisation.  
(\$) Data submitted by the client under his responsibility.

**Other informations deemed useful for the interpretation of the results**

The reported uncertainty 'Unc.' is the expanded uncertainty calculated using a coverage factor of 2 which gives a confidence level of approximately 95%. The reported uncertainty refers to the uncertainty of the analysis without the sampling uncertainty concern.

For asbestos tests on the areiform matrix, the lower confidence limit (LCL) and the upper confidence limit (UCL) are indicated with a probability level of 95% and with a coverage factor K=2.

Please note that each result expressed as 'n.r.' does not indicate the absence of the parameter in the sample.

LOQ: limit of quantification: It is the lowest analyte concentration in the sample that can be detected with acceptable accuracy under well specified conditions.

If the sampler is not a laboratory technician, the data relating to the description of the sample and the sampling are understood to be provided by the person who performed the same, and the laboratory disclaims responsibility for any information that may affect the validity of the results; the results contained in the Test Report refers, in this case, exclusively to the sample as receive, and the laboratory declines responsibility for the results of those parameters that could have been influenced by deviations from the information present in the MD-26 'customer information' (e.g. times and containers), of which the customer was informed. In this case, they will be appropriately indicated in the test report, if the customer confirms to continue with the analysis.

If the sampling has not been performed by one of our technicians, the results that take into account the measurements made during the sampling phase are obtained by processing the data expressly declared by the person who performed it.

The analytical activity was conducted on a representative fraction of the sample registered by the laboratory. Preparation of representative test portions from the laboratory sample on waste matrix was carried out according to the UNI EN 15002:2015 standard.

Conformity opinions: values that comply with and do not comply with laws, decrees, national and EU regulations, specifications provided by the customer are assessed on a case-by-case, which in this case will be made explicit.

Analysis starting date: this refers to the sample processing start date, which can include the aliquotation and homogenization phase of the same.

Analysis end date: means the date of approval of the results in the LIMS by the laboratory.

Lab Director

Dott.ssa Claudia Caneto

Ordine dei chimici della Toscana n° 1432

Document digitally signed in accordance with current legislation



LAB N° 0128 L

## TEST REPORT N° 24LA0037456

Report issue date: 24/07/2024

### SAMPLE INFORMATION

Sample code: 24LA0037456

Customer: PIANA RICERCA E CONSULENZA SRL, VIA UMBRIA 41 FRAZ. OSTERIA GRANDE 40024 CASTEL SAN PIETRO TERME (BO)

Sample identification: Miele e derivati

Sample description (\$): 20240614

Receiving date: 16/07/2024

Analysis starting date: 15/07/2024

Analysis end date: 24/07/2024

### SAMPLING INFORMATION

Sampling date (\$): 11/07/2024

Collection place (\$): -

Sampling by: Cliente

Transported by: Corriere

### ANALYTICAL RESULTS

Test	M.U.	Result	LOQ
Diastase U. / ml suco / ml	DI	35.3	0.1

Page 1 of 2

Laboratorio iscritto nell'elenco regionale di cui alla L.RD/2002 ed  
all'Accordo Reg. n.78/CSR/2010 con il n° 021

Lifeanalytics S.r.l.

Sede operativa: Via Piazza Alta, 22 - 31046 Ospeda (TV) Tel: +39 0423 1721991 - GRUPPO IVA: 14996171006 - C.F. 03670110266  
servizioclienti@lifeanalytics.it - www.lifeanalytics.it

00-111-0-0-0-0 - Rev. 01 - Date 17/07/2024



## TEST REPORT N° 24LA0037456

### Notes

Results reported in this test report are referred exclusively to the sample analysed by the laboratory.  
This test report can not be reproduced partially, unless specified by the laboratory by written authorisation.  
(\$) Data submitted by the client under his responsibility.

### Other informations deemed useful for the interpretation of the results

The reported uncertainty 'Unc.' is the expanded uncertainty calculated using a coverage factor of 2 which gives a confidence level of approximately 95%. The reported uncertainty refers to the uncertainty of the analysis without the sampling uncertainty concern.

For asbestos tests on the areiform matrix, the lower confidence limit (LCL) and the upper confidence limit (UCL) are indicated with a probability level of 95% and with a coverage factor K=2.

Please note that each result expressed as 'n.r.' does not indicate the absence of the parameter in the sample.

LOQ: limit of quantification: It is the lowest analyte concentration in the sample that can be detected with acceptable accuracy under well specified conditions.

If the sampler is not a laboratory technician, the data relating to the description of the sample and the sampling are understood to be provided by the person who performed the same, and the laboratory disclaims responsibility for any information that may affect the validity of the results; the results contained in the Test Report refers, in this case, exclusively to the sample as receive, and the laboratory declines responsibility for the results of those parameters that could have been influenced by deviations from the information present in the MD-26 'customer information' (e.g. times and containers), of which the customer was informed. In this case, they will be appropriately indicated in the test report, if the customer confirms to continue with the analysis.

If the sampling has not been performed by one of our technicians, the results that take into account the measurements made during the sampling phase are obtained by processing the data expressly declared by the person who performed it.

The analytical activity was conducted on a representative fraction of the sample registered by the laboratory. Preparation of representative test portions from the laboratory sample on waste matrix was carried out according to the UNI EN 15002:2015 standard.

Conformity opinions: values that comply with and do not comply with laws, decrees, national and EU regulations, specifications provided by the customer are assessed on a case-by-case, which in this case will be made explicit.

Analysis starting date: this refers to the sample processing start date, which can include the aliquotation and homogenization phase of the same.

Analysis end date: means the date of approval of the results in the LIMS by the laboratory.


Lab Director

Dott.ssa Claudia Caneto

Ordine dei chimici della Toscana n° 1432

Document digitally signed in accordance with current legislation

# Piana Ricerca e Consulenza srl unipersonale



Via Umbria, 41 - Fraz. Osteria Grande  
40024 Castel San Pietro Terme BO Italia - tel. +39 051 6951574  
pianaricerca@pianaricerca.it - pianaricerca.it

P.IVA C.F. 02947351207 - REA BO-479630  
Capitale sociale € 40.000 i.v.

## Rapporto di Prova N. 20240614 del 06/07/2024

Pagina 1 / 2

**Richiedente**  
AGRITUR SOCIETA' AGRICOLA COOPERATIVA  
VIA SERRA 56  
40042 LIZZANO IN BELVEDERE (BO) Italia

Nostro riferimento	20240614	Altre informazioni	Prov. Bologna/Modena
Riferimento	20066	Ricevuto il	20/06/2024
Prodotto	Miele/Honey	Data inizio/fine analisi	06/07/2024 / 06/07/2024
Or. Geo dichiarata	Italia/Italy - Emilia Romagna	Origine Bot. dichiarata	Robinia/Acacia

### Analisi pollinica quali-quantitativa

Metodo microscopico UNI 11299:2008

Diagnosi origine botanica miele uniflorale di robinia (acacia)

Diagnosi origine geografica lo spettro pollinico è compatibile con l'origine dichiarata (Italia - Emilia Romagna)

Interpretazione: lo spettro pollinico corrisponde a quello di un miele in cui la componente principale è rappresentata da robinia (acacia) (Robinia, nel conteggio). Le caratteristiche melissopalinologiche sono compatibili con la denominazione uniflorale. Infatti la relativa scheda di caratterizzazione (cfr Persano Oddo L., Sabatini A. G., Accorti M., Colombo R., Marcazzan G. L., Piana M. L., Piazza M. G., Pulcini P.: I mieri uniflorali - Nuove schede di caratterizzazione. Ministero delle Politiche Agricole e Forestali, Roma, 2000, 107 p) e la norma UNI (cfr UNI 11382:2010 - Miele uniflorale di acacia (Robinia pseudacacia L) - Definizione, requisiti e metodi analisi) indicano una percentuale minima del 15% e una quantità assoluta di granuli pollinici non superiore a 20.000 GP/10 g. Le caratteristiche organolettiche indicano una presenza di altre componenti. Il colore, misurato per via strumentale, è leggermente superiore al limite (20 mm Pfund) indicato per tale tipo di miele uniflorale nella norma UNI. Tuttavia considerando la variabilità naturale del prodotto e la precisione del metodo si conclude che la denominazione uniflorale sia comunque possibile. Le associazioni botaniche sono compatibili con l'origine geografica dichiarata (Italia - Emilia Romagna).

### Risultato dei conteggi

1° conteggio % nettariferi % totale

#### Tipi pollinici nettariferi

Erica	37	36	6
Robinia	24	24	4
Genista	23	23	4
Malus/Pyrus/Sorbus	6	6	1
Acer	3	3	1
Trifolium repens	3	3	1
Ilex	2	2	p
Indeterminati/Unidentified	2	2	p
Aesculus	1	1	p
Rhamnus	1	1	p
Caryophyllaceae	p	p	p
<b>Totale pollini nettariferi</b>	<b>102</b>		

#### Tipi pollinici iperrappresentati

Castanea	37	6
<b>Totale pollini iperrappresentati</b>	<b>37</b>	

## 1° conteggio % nettariferi % totale

**Tipi pollinici privi di nettare**

Fraxinus ornus	333	58
Quercus ilex	73	13
Quercus robur	17	3
Sambucus nigra	9	2
Graminaceae altre	1	p
Pinaceae	p	p
<b>Totale pollini privi di nettare</b>	<b>433</b>	
<b>Totale conteggio</b>	<b>572</b>	

## Indicatori di melata

Indicatori di melata/granuli pollinici	0,02	+
----------------------------------------	------	---

Materiale indisciolto finemente cristallino assente

Granuli di amido (come % granuli pollinici) non osservati

## Altre componenti del sedimento

Tipi pollinici identificati	17
Stima quantità granuli pollinici (GP/10 g)	16.400
Stima quantità elementi di melata (IM/10 g)	100
Stima quantità totale elementi figurati (N/10 g)	16.500

p = "presente" forma pollinica individuata al di fuori del conteggio o inferiore a 1%

**Altre analisi**


Colore mm Pfund (fotometro Hanna): 21

Analisi organolettica descrittiva: vedi allegato


*Il presente rapporto riguarda esclusivamente il campione sottoposto a prova ed esso non può essere riprodotto parzialmente, se non previa approvazione scritta da parte di questo Laboratorio.*

**IL DIRETTORE DEL LABORATORIO**

Maria Lucia Piana



# Piana Ricerca e Consulenza srl unipersonale



Via Umbria, 41 - Fraz. Osteria Grande  
40024 Castel San Pietro Terme BO Italia - tel. +39 051 6951574  
pianaricerca@pianaricerca.it - pianaricerca.it

P.IVA C.F. 02947351207 - REA BO-479630  
Capitale sociale € 40.000 i.v.

## Allegato al Rapporto di Prova N. 20240614 del 06/07/2024

Pagina 1 / 1

### Richiedente

AGRITUR SOCIETA' AGRICOLA COOPERATIVA  
VIA SERRA 56  
40042 LIZZANO IN BELVEDERE (BO) Italia

Nostro riferimento	20240614	Altre informazioni	Prov. Bologna/Modena
Riferimento cliente	20066	Ricevuto il	20/06/2024
Prodotto	Miele/Honey	Data inizio/fine analisi	06/07/2024 / 06/07/2024
Or. Geo dichiarata	Italia/Italy - Emilia Romagna	Origine Bot. dichiarata	Robinia/Acacia

### Analisi organolettica descrittiva

Metodo sensoriale interno modificato da Piana et al., 2004

#### Caratteristiche visive

Stato fisico: liquido

Aspetto: limpido

Colore: chiaro

#### Caratteristiche olfattive

Intensità odore: debole

Descrizione odore: di tipo fruttato

#### Caratteristiche olfatto gustative

Intensità aroma: debole

Descrizione aroma: di tipo fruttato e aromatico

Persistenza aroma: breve

Sapore: normalmente dolce, mediamente acido, amaro non percepibile

Altre sensazioni in bocca: -

#### Caratteristiche tattili

Consistenza: normalmente fluido

Cristalli: assenti

#### Difetti organolettici

non percepibili

Il presente rapporto riguarda esclusivamente il campione sottoposto a prova ed esso non può essere riprodotto parzialmente, se non previa approvazione scritta da parte di questo Laboratorio.

IL DIRETTORE DEL LABORATORIO

Maria Lucia Piana